

Baztech

Industries



**Manufacturer & Exporters of
Tractor Linkage Parts & Fasteners**

COMPANY PROFILES

Dear Customer,

This catalogue is to offer a complete range of tractor linkage parts, fasteners, Farm Parts, Turned Machine Components, Trailer parts of forgings to our valued customers.

Incepted in 1990, we have come a long way and are constantly progressing with our unremitting commitment towards customer satisfaction and quality. Leveraging on sound technical know-how and with professional approach. We have achieved new heights in terms of growth in the tractor parts industry. Along with existing range, we manufacture customized components that are designed and tuned to suit the performance requirements as desired by customers.

We at Baztech industries always strive to manufacture Zero Defect Quality Products at a very competitive cost. Our Commitment for quality has helped us to achieve ISO 9001:2015 Certification.



Baztech
Industries



Baztech Industries

BALLS



4

BUSHES



9

HITCH PINS



10

PINS



14

LINCH PINS



21

R-PINS



23

TOP LINK ASSEMBLY



25

TOP LINK END



30

WELD ON BEND



32

ADJUSTABLE LEVELLING ARM



34

STABILIZER ASSEMBLY



35

STABILIZER ENDS



36

DRAW BARS



38

U-BOLTS



39

LEVELLING ASSEMBLY



40

DROP LOCK PINS & CLEVIS



41

3 POINT LINKAGE SYSTEM



42

FINGERS



43

HARROW DISC & DISC HARROW AXLE



44

PARKING JACKS



45

WEATHER CAP



NUT & BOLTS



47



Baztech
Industries

BALLS



TECHNICAL PARAMETERS

- Tolerance limits as per tolerance standard H7, H10, D10, A12 etc. for high precision.
- Coated with Trivalent Zinc Plating for a smooth finish and also for longtime protection.
- Ideally suitable for link motion machining.
- We also design and manufacture custom parts for our customers.



ITEM	HEAT TREATMENT	MATERIAL
BALLS	AS PER CUSTOMERS REQUIREMENT	LOW CARBON STEEL/ EN-8 / 16Mn Cr5



BALLS




Baztech
Industries



LOWER LINK BALL

CODE	A	B	C
BILLB7010	44.5	19	35
BILLB7020	44	22.1	35
BILLB7030	44.5	22.1	35
BILLB7040	46	28.4	33.5
BILLB7050	48	22.1	35
BILLB7060	48	25.4	35
BILLB7070	50	25.4	40
BILLB7080	50	29	40
BILLB7090	50.8	38	25
BILLB7100	54	35	55
BILLB7110	56	22.1	35
BILLB7120	56	22.1	45
BILLB7130	56	25.4	35
BILLB7140	56	28.4	35
BILLB7150	56	28.4	38
BILLB7160	56	28.4	45
BILLB7170	56	28.6	45
BILLB7180	56.5	28.6	45
BILLB7190	56.8	28.4	44.8
BILLB7200	57	22.1	35
BILLB7210	57	25.4	35
BILLB7220	57	25.4	38
BILLB7230	57	28.4	35
BILLB7240	57	28.4	38
BILLB7250	57	28.4	42
BILLB7260	57	28.4	44.5
BILLB7270	60	25.4	51
BILLB7280	62.5	28.6	45
BILLB7290	62.5	37	45
BILLB7300	63.5	37	45
BILLB7310	64	22	45
BILLB7320	64	28.4	45
BILLB7330	64	38	45
BILLB7340	64	30.5	45
BILLB7350	64	32.5	45
BILLB7360	64	35.5	45
BILLB7370	64	37.5	45






BALLS



Baztech
Industries


TOP LINK BALL

CODE	A	B	C
BITLB8010	32	16	25.4
BITLB8020	38	15.9	25.4
BITLB8030	38	19	41
BITLB8040	38	19	44
BITLB8050	38	20	44
BITLB8060	46	19	44
BITLB8070	46	20	44
BITLB8080	46	25.4	41
BITLB8090	46	25.4	44
BITLB8100	46	25.4	45
BITLB8110	46	25.4	51
BITLB8120	50	22.1	51
BITLB8130	50	25.4	44
BITLB8140	50	25.4	51
BITLB8150	50.8	19	44
BITLB8160	50.8	25.4	44.5
BITLB8170	50.8	28.4	44.5
BITLB8180	54	25.4	51
BITLB8190	54	30	55
BITLB8200	54	32	51
BITLB8210	54	35	55
BITLB8220	60	25.4	51
BITLB8230	60	31.7	51
BITLB8240	60	25.4	50
BITLB8250	60	32.5	50



BALL (DOUBLE BORE)

CODE	A	B	C
BIBWDB56	56	22.1/28.7	44.5






BALLS




BALL WITH CUT

CODE	A	B	C	D	E
BIBWC5635	56.5	22	35	10	R35
BIBWC5644	56.5	28.6	44.5	10	R35




GUIDE CONE BALL

CODE	A	B	C	D
BIGCB9010	56	28.4	68	20
BIGCB9020	56	37.6	68	20
BIGCB9030	64	28.4	72	20
BIGCB9040	64	32.5	72	20
BIGCB9050	64	37	72	20



SPACERS

CODE	A	B	C
BIS01	28	56	7
BIS02	28	64	7
BIS03	38	64	7





BALLS




Baztech
Industries




HITCH BALL

CODE	Max. Load	ØA Inch	Thread ØB Inch	Length C Inch
BIHB11	2000	1-7/8	3/4	1-3/4
BIHB12	3500	2	3/4	1-3/4
BIHB13	5000	2	1	2-1/8
BIHB14	7500	2-5/16	1-1/4	2-1/8




HITCH BALL

CODE	ØA	B	C
BIHB20	19	70	57
BIHB21	22	70	57
BIHB22	25.4	70	57




HITCH BALL

CODE	Dim. A mm	Dim. B mm	Dim. C mm	Thread D mm	ØE mm
BIHB210	210.3	50.8	76.2	1.1/2-12UNF	58.73




HITCH BALL

CODE	Dim. A mm	Dim. B mm	Dim. C mm	ØD mm	Dim. E mm	Thread Size
BIHB221	162	100	90	50	190	7/8"
BIHB222	162	100	90	50	190	1"





BUSHES




Baztech
Industries




REPLACEMENT BUSHES

CODE	ØA mm	ØB mm	C mm
BIRB1911	19	16	41
BIRB1912	22	16	35
BIRB1913	25.4	19	41
BIRB1914	25.4	19	50.8
BIRB1915	28.4	22.2	44.5
BIRB1916	28.4	22.2	63
BIRB1917	28.6	22.2	35
BIRB1918	28.6	22.2	44
BIRB1919	28.6	22.2	50.8
BIRB1920	32	25.4	50.8
BIRB1921	36.5	28.6	44.5





TINE BUSHES

CODE	Outer ØA mm	Inner ØB mm	Inner ØC mm	Length D mm	Depth E mm	Angle F Ship	Weight kg.
BITB2110	38	25.4	31	95	74	4°30'	0.3
BITB2111	40	23	25	105	78	5°	0.45
BITB2112	41	24	32	110	79	5°	0.51
BITB2113	41	24	32	110	79	5°	0.6
BITB2114	41	25.4	30	108	80	5°30'	0.5
BITB2115	45	25	0	110	0	5°	0.765
BITB2116	50	23	29	110	85	6°	1.8
BITB2117	50	25	29	110	85	6°	1.08
BITB2118	50	28	0	105	0	10°	1.05
BITB2119	50	30	36	108	80	5°30'	0.76
BITB2120	50	30	39	110	84	6°	1.63
BITB2121	51	25	32	110	109	5°30'	1.085
BITB2122	51	30	38	110	86	5°	0.755
BITB2123	55	32	0	120	0	4°30'	1.24
BITB2124	57	12.59	40	120	105	5°30'	0
BITB2125	33	0	14	63	46	3°	0.292
BITB2126	33	0	16.5	63	48	1.5°	0.281
BITB2127	33	0	16.5	63	48	1.5°	0.263
BITB2128	33	0	16.5	63	48	1.5°	0.281
BITB2129	33	0	16.5	63	48	1.5°	0.256
BITB2130	45	22	28	97	75	5°	1.27
BITB2131	50	32	39	110	84	5.5°	1.02
BITB2132	60	32	39	110	84	5.5°	1.8



TECHNICAL PARAMETERS

- We Produce all type of pins that ensures safe and secure locking.
- Products Manufactured from durable material.
- Material Grade 16MnCr5, C40 & C16 etc
- Coated with trivalent zinc plating for a smooth finish & also for long time protection.




PINS



Baztech
Industries

ITEM	HEAT TREATMENT	MATERIAL
PINS	AS PER CUSTOMER'S REQUIREMENT	EN - 8 / L.C


** HANDLE STYLE AT MANUFACTURER'S OPTION.





HITCH PIN WITH CHAIN & LINCH PIN


CODE	A	B	C	D
BIHPLP127	12.7	92.5	6.5	127
BIHPLP128	12.7	111	6.5	146
BIHPLP129	15.9	103	6.5	136
BIHPLP130	15.9	111	6.5	146
BIHPLP131	15.9	165	6.5	200
BIHPLP132	19	102	6.5	140
BIHPLP133	19	110	6.5	147
BIHPLP134	19	111	8.5	148
BIHPLP135	19	115	12	153
BIHPLP136	19	165	8.5	200
BIHPLP137	19	165	6.5	204
BIHPLP138	19	165	8.5	204
BIHPLP139	22	115	6.5	153
BIHPLP140	22	128	6.5	168
BIHPLP141	22	165	6.5	200
BIHPLP142	22	165	10	204
BIHPLP143	25	165	10	204
BIHPLP144	25	165	6.5	204
BIHPLP145	25	189	12	227
BIHPLP146	28	100	12	138
BIHPLP147	28	120	10	158
BIHPLP148	28	156	12	196
BIHPLP149	28	165	6.5	204
BIHPLP150	28	190	6.5	228
BIHPLP151	28	189	12	228
BIHPLP152	30	183	12	220
BIHPLP153	32	162	6.5	204
BIHPLP154	32	189	12	227
BIHPLP155	32	165	10	204
BIHPLP156	32	191	6.5	228
BIHPLP157	35	189	12	227
BIHPLP158	38	187	12	227






HITCH PIN WITH HAIR PIN

CODE	A	B	C	D
BIHPHP8110	12.7	90	4	125
BIHPHP8111	12.7	105	3	142
BIHPHP8112	12.7	110	4	147
BIHPHP8113	15.9	105	4	136
BIHPHP8114	15.9	149	3.5	186
BIHPHP8115	16	162	4	199
BIHPHP8116	19	98	4.5	130
BIHPHP8117	19	110	4.5	147
BIHPHP8118	19	157	4.5	194
BIHPHP8119	19	162	4.5	199
BIHPHP8120	22	110	5	147
BIHPHP8121	22	157	5	194
BIHPHP8122	22	162	5	199
BIHPHP8123	25	103	5	140
BIHPHP8124	25.4	110	5.5	147
BIHPHP8125	25	158	6	194
BIHPHP8126	25	162	6	199
BIHPHP8127	25	181	6	214
BIHPHP8128	25	118	6	155
BIHPHP8129	28	183	7	220
BIHPHP8130	28.6	162	6.5	199
BIHPHP8131	32	162	7	199



RED HANDLE HITCH PIN


CODE	A	B
BIRHP9221	12.7	95
BIRHP9222	15.8	105
BIRHP9223	15.8	143
BIRHP9224	19	105
BIRHP9225	19	165
BIRHP9226	22	105
BIRHP9227	22.4	165
BIRHP9228	25.4	115
BIRHP9229	25.4	133
BIRHP9230	25.4	203
BIRHP9231	28.5	220
BIRHP9232	31.75	220
BIRHP9233	38.1	220






HITCH PIN

CODE	A	B	C	D
BIHP410	12.7	89	4	127
BIHP411	12.7	102	4	136
BIHP412	12.7	108	5	144
BIHP413	12.7	114	5	150
BIHP414	15.9	89	5	127
BIHP415	15.9	102	5	136
BIHP416	15.9	108	5	144
BIHP417	15.9	114	5	150
BIHP418	15.9	127	6	165
BIHP419	19	152	6	192
BIHP420	19	102	8	136
BIHP421	19	108	8	144
BIHP422	19	114	8	150
BIHP423	19	127	8	165
BIHP424	19	140	8	178
BIHP425	19	152	8	190
BIHP426	22	158	8	196
BIHP427	22	108	10	144
BIHP428	22	114	10	150
BIHP429	22	127	10	165
BIHP430	22	152	10	190
BIHP431	22	158	10	198
BIHP432	22	165	10	204
BIHP433	25.4	108	10	144
BIHP434	25.4	114	10	150
BIHP435	25.4	152	10	190
BIHP436	25.4	158	10	204
BIHP437	25.4	165	10	228
BIHP438	25.4	190	10	150
BIHP439	28	114	12	190
BIHP440	28	152	12	198
BIHP441	28	158	12	198
BIHP442	28	165	12	204
BIHP443	28	190	12	228
BIHP444	32	152	12	190
BIHP445	32	158	12	198
BIHP446	32	165	12	204
BIHP447	32	190	12	230
BIHP448	35	190	12	230
BIHP449	38	190	12	230



ORANGE HITCH PIN WITH HAIR PIN

CODE	A	B	C	D
BIOHP5	16	155	4	192
BIOHP6	19	104	5	141
BIOHP7	19	162	5	199
BIOHP8	22	168	5	205
BIOHP9	25.4	175	6	212






SQUARE HEAD PINS


CODE	A	B	C	D	E	F	G
BISHP88109	19	88	109	40	65	8	6
BISHP88241	24	88	109	40	65	8	6

(also available Rectangular Head Pins)




CYLINDER PINS

CODE	A	B	C	D	E
BICP1801	18	52	70	6	6
BICP1802	18	72	90	6	6
BICP1803	18	82	100	6	6
BICP1804	20	58	76	6	6
BICP1805	22	52	70	6	6
BICP1806	24	91	109	6	6
BICP1807	26	57	76	6	6
BICP1808	28	91	109	6	6




TOP LINK PIN WITHOUT HEAD

CODE	A	B	C	D	E
BITLWH9619	19	96	140	12	22
BITLWH12619	19	126	170	12	22
BITLWH16319	19	163	207	12	22
BITLWH21019	19	210	254	12	22
BITLWH12025	25	120	164	12	22



SPECIAL TOP LINK PINS


CODE	A	B	C	D	E	F
BISTLP4211	12	57	70	18	4	5
BISTLP4212	16	81	98	24	4.5	6.5
BISTLP4213	16	59	76	24	7	6.5
BISTLP4214	19	60	82	27	7	6.5
BISTLP4215	19	93	112	27	6	6.5
BISTLP4216	22	120	151	37	15	8.5
BISTLP4217	22	135	170	37	15	8.5
BISTLP4218	25	120	158	40	15	8.5
BISTLP4219	25	175	214	40	15	8.5
BISTLP4220	28	155	193	45	15	10.5
BISTLP4221	19	80	120	25	15	11.5
BISTLP4222	22	60	95	28	15	11.5
BISTLP4223	25	85	125	32	15	11.5
BISTLP4224	28	60	95	34	15	11.5





TOP LINK PINS


CODE	A	B	C	D	E
BITLP5211	15.9	76	113	19	7
BITLP5213	15.9	82	112	19	7
BITLP5214	19	52	90	22	12
BITLP5215	19	57	90	22	12
BITLP5216	19	76	112	22	12
BITLP5217	19	92	127	22	12
BITLP5218	19	95	133	28	12
BITLP5219	19	105	135	28	10
BITLP5220	19	125	155	28	10
BITLP5221	19	145	175	28	10
BITLP5222	22	76	114	25	12
BITLP5223	22	94	132	25.4	12
BITLP5224	22	105	136	34	12
BITLP5225	22	110	140	25	12
BITLP5226	22	125	158	30	11
BITLP5227	22	145	178	30	11
BITLP5228	25	76	115	28	12
BITLP5229	25	85	124	32	11
BITLP5230	25	95	132	28	12
BITLP5231	25	125	156	32	11
BITLP5232	25.4	86	123	28	12
BITLP5233	25.4	110	148	28	12
BITLP5234	25.4	116	154	28	12
BITLP5235	25.4	142	180	28	12
BITLP5236	28	103	145	32	12
BITLP5237	28	125	156	34	12
BITLP5238	28	145	178	34	12
BITLP5239	28.6	159	197	32	12
BITLP5240	31.7	118	160	38	12
BITLP5241	32	105	145	42	12
BITLP5242	32	125	164	38	12
BITLP5243	32	136	175	38	12






INTER CHANGEABLE IMPLEMENT MOUNTING PIN

CODE	A	B	C	D	E	F	G	H	I	J
BIIMP2222	22	22	28	55	115	40	67	12	6.5	200
BIIMP2225	25	22	28	55	115	40	67	12	6.5	200



DOUBLE IMPLEMENT MOUNTING PIN


CODE	A	B	C	D	E	F	G	H	I	J
BIDIMP3411	25	19	40	70	100	80	20	12	12	210
BIDIMP3412	25	19	38	96	78	62	22	12	12	212
BIDIMP3413	25	19	26	66	78	70	18	6.5	6.5	170
BIDIMP3414	28	22	35	75	90	75	20	12	12	200
BIDIMP3415	28	22	40	70	100	80	20	12	12	210
BIDIMP3416	28	22	40	90	100	80	20	12	12	230
BIDIMP3417	28.6	22.2	40	89	100	80	20	12	12	229
BIDIMP3418	32	25	40	115	95	81	26	12	12	250
BIDIMP3419	36.5	28	36	150	91	81	26	12	12	277
BIDIMP3420	36.5	28	45	150	95	80	28	12	12	290






IMPLEMENT PIN

CODE	A	B	C	D	E	F	G	H
BIIP4401	19	16	74	82	156	16.5	55	5
BIIP4402	22	16	80	88	168	12	68	5
BIIP4403	25	19	85	81	166	18	53	5
BIIP4404	25	19	80	80	160	18	53	5
BIIP4405	25	19	90	90	180	18	57	5
BIIP4406	28	22	90	90	180	18	57	5
BIIP4407	28	22	90	85	175	16.5	50	6
BIIP4408	28	22	90	90	180	16.5	61	6
BIIP4409	32	25	83	95	178	18	62	6.5
BIIP4410	32	25	80	92	172	22	55	6.5



WELD ON END MOUNTING PIN


CODE	A	B	C	D	E	F	G
BIWEP2812	28	22	62.5	84.5	70.5	47	12
BIWEP2813	28	22	76.5	104.5	88	60	12
BIWEP2814	28	22	85	105	85	62	12
BIWEP2815	28	22	103	78	60	87.3	12
BIWEP2816	28	22	120	56	39	92	12
BIWEP2817	28.6	22	76	105	87.3	60	12
BIWEP2818	34	28	61	80	62	43.5	12





LOWER LINK PIN

CODE	A	B	C	D	E	F	G	H	I
BILLP9201	22	50	130	40	5	20x1.5	20	32	38
BILLP9202	22	50	140	40	14	22x1.5	22	30	38
BILLP9203	22	50	140	40	14	22x1.5	28	30	38
BILLP9204	22	51	149	54	11	7/8" UNF	22	30	36
BILLP9205	22	51	140	48	6	3/4" UNF	19	30	36
BILLP9206	22	51	140	43	11	5/8" UNF	22	30	36
BILLP9207	22	51	146	38	22	7/8" UNF	28.6	30	36
BILLP9208	22	51	146	50.8	9.5	7/8" UNC	28.6	32	38
BILLP9209	22	51	146	50.8	9.5	1" UNF	25.4	30	36
BILLP9210	22	51	138	38	14	7/8" UNF	28.6	30	36
BILLP9211	22	51	128	38	10	20x1.5	20	30	36
BILLP9212	22	51	128	38	10	20x1.5	20	30	36
BILLP9213	22	60	150	40	20	22x1.5	22	32	38
BILLP9214	22	60	150	40	20	22x1.5	28	32	38
BILLP9215	22	60	146	40	20	22x1.5	25	32	32
BILLP9216	22	51	140	45	10	7/8" UNF	22	30	34
BILLP9217	22	64	165	56	16	7/8" UNF	22.2	32	38
BILLP9218	25	60	150	40	20	22x1.5	25	34	40
BILLP9219	25	60	150	40	20	22x1.5	28	32	38
BILLP9220	28	50	155	30	50	30x2.0	30	48	50
BILLP9221	28	55	150	45	14	22x1.5	24	36	42
BILLP9222	28	55	150	45	15	24x1.5	24	37	43
BILLP9223	28	55	150	45	14	27x1.5	28	38	43






Quality Matter's
Baztech
Industries


BENT HANDLE HITCH PIN

CODE	A	B	C
BIBHP3412	19	123	12
BIBHP3413	19	135	12
BIBHP3414	19	175	12
BIBHP3415	22	123	12
BIBHP3416	22	135	12
BIBHP3417	22	175	12
BIBHP3418	25	123	12
BIBHP3419	25	135	12
BIBHP3420	25	175	12
BIBHP3421	28	135	12
BIBHP3422	28	175	12
BIBHP3423	28	123	12
BIBHP3424	32	175	12




BENT TYPE HITCH PIN

CODE	A	B	C	D
BIBTP3311	12.7	76	4	85
BIBTP3312	15.9	76	5	88
BIBTP3313	15.9	89	5	102
BIBTP3314	19	89	5	102
BIBTP3315	19	99	5	111



WIRE LOCK HITCH PIN


CODE	A	B	C
BIWLP9612	12	102	140
BIWLP9613	16	102	140
BIWLP9614	19	102	140
BIWLP9615	19	152	190
BIWLP9616	22	152	190
BIWLP9617	25	152	190






STANDARD CLEVIS PINS

CODE	A	B	C	D
BISCP51	4.5	16	2.5	9
BISCP52	6	20	2.5	10
BISCP53	6	25	2.5	10
BISCP54	8	19	3	12
BISCP55	8	24	3	12
BISCP56	8	28	3	12
BISCP57	8	32	3	12
BISCP58	8	38	3	12
BISCP59	8	45	3	12
BISCP60	10	25	4	12
BISCP61	10	32	4	14
BISCP62	10	45	4	14
BISCP63	11	32	4	15
BISCP64	11	45	4	15
BISCP65	12	38	4	16
BISCP66	12	50	4	16



UNIVERSAL CLEVIS PINS


CODE	A	B	C	D	No. of Holes
BIUCP90	6	50	2.5	9	5
BIUCP91	8	50	3	12	5
BIUCP92	10	50	4	14	5
BIUCP93	11	50	4	15	5
BIUCP94	11	63	4	15	5
BIUCP95	11	76	4	15	7
BIUCP96	12	50	4	16	5
BIUCP97	12	63	4	16	7
BIUCP98	12	76	4	16	7
BIUCP99	16	76	5	20	7
BIUCP100	19	76	6	24	7






LINCH PINS

CODE	A	B	C	E	D
BILP5001	4.5	28.6	35	44	3
BILP5002	4.5	33	41	51	3
BILP5003	4.76	28.6	35	44	3
BILP5004	6	36.5	45	54	3.2
BILP5005	6	36.5	45	54	3.7Black
BILP5006	6.35	36.5	45	54	3.2
BILP5007	7	36.5	45	55	3.3
BILP5008	8	36.5	45	54	3.3
BILP5009	8	36.5	45	54	3.7Black
BILP5010	9	36.5	45	56	3.3
BILP5011	9.5	39	51	62	3.3
BILP5012	10	36.5	45	56	3.5
BILP5013	11	36.5	45	56	3.5
BILP5014	11	39	51	66	4.5Black
BILP5015	11	39	51	62	3.5




FORGED LINCH PINS

CODE	A	B	C	D	E
BIFLP48	11	48	52	4	66
BIFLP56	15	56	60	4	74



LINCH PIN FOR TUBE (Square Head)


CODE	A	B	C	D
BILT41	6	40	3	18
BILT42	6	45	3	22
BILT43	8	40	3	18
BILT44	8	45	3	22
BILT45	8	50	3	25
BILT46	10	50	4	25
BILT47	10	58	4	25
BILT48	12	58	4	25






PTO PINS

CODE	A	B	C	D	E	F
BIPP645	6	45	38	12	6	2.5
BIPP665	6	65	58	12	6	2.5
BIPP845	8	45	38	15	7	2.5
BIPP865	8	65	58	15	7	2.5
BIPP1045	10	45	38	18	8	2.5
BIPP1065	10	65	58	18	8	2.5



PTO PINS


CODE	A	B	C	D	E	F
BIPP653	6	53	45	12	6	2.5
BIPP654	6	65	57	12	6	2.5
BIPP655	8	65	57	15	7	2.5
BIPP656	8	70	63	15	7	2.5
BIPP657	10	65	57	18	8	2.5
BIPP658	10	70	63	18	8	2.5
BIPP659	10	80	70	18	10	2.5






CLIPS

CODE	A	B	C
BIC3817	3 x 1.5	38	17
BIC5627	5 x 2.5	56	27



HAIR PIN / GRIP CLIP, SINGLE SPIRE


CODE	A	B	C	D
BIRP1312	2	44	13	10-12
BIRP1313	2	51	13	10-12
BIRP1314	2	57	17	10-12
BIRP1315	2.5	46	13	11-13
BIRP1316	2.5	62	13	11-13
BIRP1317	3	52	18	12-16
BIRP1318	3	61	18	12-16
BIRP1319	3.5	67	18	15-21
BIRP1320	3.5	80	18	15-21
BIRP1321	4	76	18	16-30
BIRP1322	4	83	18	16-30
BIRP1323	4	90	18	16-30
BIRP1324	4.5	83	20	16-30
BIRP1325	4.5	93	20	20-30
BIRP1326	5	100	24	20-35
BIRP1327	5	108	30	20-35
BIRP1328	6	114	24	28-45
BIRP1329	6	120	30	28-45
BIRP1330	6	115	42	28-45
BIRP1331	7	105	42	30-42
BIRP1332	7	163	45	30-45
BIRP1333	8	156	52	30-45
BIRP1334	8	162	45	45-60
BIRP1335	10	158	42	30-45






HAIR PIN / GRIP CLIP, DOUBLE SPIRE

CODE	A	B	C	D
BIHDS771	2	65	13	10-12
BIHDS772	3	71	18	12-16
BIHDS773	4	77	22	16-30
BIHDS774	4	93	22	17-24
BIHDS775	5	116	26	17-28
BIHDS776	6	143	30	32-48
BIHDS777	7	162	30	30-45



SPLIT PINS


CODE	A	B	C
BISP1890	1.6	20	28
BISP1891	1.6	25	33
BISP1892	2	20	28
BISP1893	2	25	33
BISP1894	2	28	35
BISP1895	2	32	40
BISP1896	2	40	50
BISP1897	2.5	20	28
BISP1898	2.5	40	50
BISP1899	3.2	25	35
BISP1900	3.2	40	50
BISP1901	4	25	35
BISP1902	4	32	45
BISP1903	4	36	48
BISP1904	5	50	63
BISP1905	5	70	85
BISP1906	6.3	50	64
BISP1907	6.3	70	85
BISP1908	6.3	80	98
BISP1909	8	63	87
BISP1910	8	80	104
BISP1911	8	100	124
BISP1912	8	125	150
BISP1913	10	63	91
BISP1914	10	125	153
BISP1915	15	125	160
BISP1916	13	140	175



TOP LINK ASSEMBLIES

TECHNICAL PARAMETERS

- Seamless Pipe/ERW
- High Accuracy in balls so used for smooth operations with minimal tolerance
- Pipe Wall Thickness is 3.5mm to 5.0 mm and available in \varnothing 32mm to 52mm
- Coated with Trivalent Zinc Plating for a smooth finish and also for longtime protection.



Baztech
Industries


ITEM	HEAT TREATMENT	MATERIAL
TOP LINK ASSEMBLY	AS PER CUSTOMER'S REQUIREMENT	END-EN-8 / LC PIPE - LOW CARBON STEEL



TOP LINK ASSEMBLIES

TOP LINK ASSEMBLIES

CODE	CAT d1 - d2	Pipe L1	Thread D	Min.	Max.
BITLA1010	0-0	7.1/2"	3/4 UNC	11"	16.3/8"
BITLA1020	0-0	9.3/4"	3/4 UNC	13.3/8"	18.5/8"
BITLA1030	1-1	7"	1.1/8 UNC	11.5/8"	14.3/4"
BITLA1040	1-2	7"	1.1/8 UNC	11.3/4"	15"
BITLA1050	2-2	7"	1.1/8 UNC	12"	15.1/8"
BITLA1060	1-1	9"	1.1/8 UNC	13.5/8"	18.3/4"
BITLA1070	1-2	9"	1.1/8 UNC	13.3/4"	19"
BITLA1080	2-2	9"	1.1/8 UNC	14"	19.1/4"
BITLA1090	1-1	11.1/4"	1.1/8 UNC	16"	24"
BITLA1100	1-2	11.1/4"	1.1/8 UNC	16.3/8"	24.1/4"
BITLA1110	2-2	11.1/4"	1.1/8 UNC	16.1/2"	24.3/8"
BITLA1120	1-1	13"	1.1/8 UNC	17.1/2"	26.3/4"
BITLA1130	1-2	13"	1.1/8 UNC	17.3/4"	27"
BITLA1140	2-2	13"	1.1/8 UNC	18.1/8"	27.1/8"
BITLA1150	1-1	14.1/2"	1.1/8 UNC	19"	27"
BITLA1160	1-2	14.1/2"	1.1/8 UNC	19.1/2"	27.1/8"
BITLA1170	2-2	14.1/2"	1.1/8 UNC	20"	31.1/2"
BITLA1180	1-1	16"	1.1/8 UNC	20.1/2"	28"
BITLA1190	1-2	16"	1.1/8 UNC	20.3/4"	28.3/8"
BITLA1200	2-2	16"	1.1/8 UNC	21"	32.1/2"
BITLA1210	1-1	17.1/4"	1.1/8 UNC	21.5/8"	29.3/8"
BITLA1220	1-2	17.1/4"	1.1/8 UNC	22"	29.1/2"
BITLA1230	2-2	17.1/4"	1.1/8 UNC	22.1/4"	33.7/8"
BITLA1240	1-1	20"	1.1/8 UNC	24.3/8"	32"
BITLA1250	1-2	20"	1.1/8 UNC	24.3/4"	32.1/4"
BITLA1260	2-2	20"	1.1/8 UNC	25"	36.3/8"
BITLA1270	1-1	24"	1.1/8 UNC	28.1/2"	36"
BITLA1280	1-2	24"	1.1/8 UNC	28.3/4"	36.1/4"
BITLA1290	2-2	24"	1.1/8 UNC	28.7/8"	40.1/2"
BITLA1300	2-2	15"	1.1/4 UNC	20"	30.7/8"
BITLA1310	2-2	19"	1.1/4 UNC	24"	35.1/4"





TOP LINK ASSEMBLIES



TOP LINK ASSEMBLIES


THREAD M 22 x 2.5

CODE	CAT d1 - d2	Pipe L1	Thread D	Min.	Max.
BITLA2010	1-1	180	M22 x 2.5	290	440
BITLA2020	1-1	220	M22 x 2.5	330	480
BITLA2030	1-1	230	M22 x 2.5	340	490
BITLA2040	1-1	300	M22 x 2.5	410	560
BITLA2050	1-1	280	M22 x 2.5	390	540

TOP LINK ASSEMBLIES

THREAD M 24 x 3

CODE	CAT d1 - d2	Pipe L1	Thread D	Min.	Max.
BITLA3010	1-1	120	M24 x 3	230	410
BITLA3020	1-1	140	M24 x 3	250	430
BITLA3030	1-1	150	M24 x 3	260	440
BITLA3040	1-1	165	M24 x 3	275	445
BITLA3050	1-1	180	M24 x 3	290	470
BITLA3060	1-1	200	M24 x 3	310	490
BITLA3070	1-1	230	M24 x 3	340	520
BITLA3080	1-1	250	M24 x 3	360	540
BITLA3090	1-1	270	M24 x 3	380	560
BITLA3100	1-1	300	M24 x 3	410	590
BITLA3110	1-1	330	M24 x 3	440	620
BITLA3120	1-1	370	M24 x 3	470	650
BITLA3130	1-1	400	M24 x 3	500	680
BITLA3140	2-2	350	M24 x 3	440	620
BITLA3150	2-2	400	M24 x 3	500	680






TOP LINK ASSEMBLIES

TOP LINK ASSEMBLIES

THREAD M 27 x 3

CODE	CAT d1 - d2	Pipe L1	Thread D	Min.	Max.
BITLA4010	1-1	275	M27 x 3	395	625
BITLA4020	2-2	275	M27 x 3	395	645
BITLA4030	1-1	320	M27 x 3	440	670
BITLA4040	1-2	320	M27 x 3	440	680
BITLA4050	2-2	320	M27 x 3	440	690
BITLA4060	1-1	350	M27 x 3	470	700
BITLA4070	1-2	350	M27 x 3	470	710
BITLA4080	2-2	350	M27 x 3	470	720
BITLA4090	1-1	370	M27 x 3	490	720
BITLA4100	1-2	370	M27 x 3	490	730
BITLA4110	2-2	370	M27 x 3	490	740
BITLA4120	1-1	380	M27 x 3	500	730
BITLA4130	1-2	380	M27 x 3	500	740
BITLA4140	2-2	380	M27 x 3	500	750
BITLA4150	1-1	400	M27 x 3	520	750
BITLA4160	1-2	400	M27 x 3	520	760
BITLA4170	2-2	400	M27 x 3	520	770
BITLA4180	1-1	430	M27 x 3	550	780
BITLA4190	1-2	430	M27 x 3	550	790
BITLA4200	2-2	430	M27 x 3	550	800
BITLA4210	1-1	450	M27 x 3	570	800
BITLA4220	1-2	450	M27 x 3	570	810
BITLA4230	2-2	450	M27 x 3	570	820
BITLA4240	1-1	470	M27 x 3	590	820
BITLA4250	1-2	470	M27 x 3	590	830
BITLA4260	2-2	470	M27 x 3	590	840
BITLA4270	1-1	500	M27 x 3	620	850
BITLA4280	1-2	500	M27 x 3	620	860
BITLA4290	2-2	500	M27 x 3	620	870
BITLA4300	2-2	550	M27 x 3	670	920
BITLA4310	2-2	570	M27 x 3	690	940






TOP LINK ASSEMBLIES



TOP LINK ASSEMBLIES

THREAD M 30 x 3 (HEAVY DUTY PIPE)

CODE	CAT d1 - d2	Pipe L1	Thread D	Min.	Max.
BITLA5010	2-2	330	M30 x 3	460	700
BITLA5020	2-2	370	M30 x 3	500	740
BITLA5030	2-2	400	M30 x 3	530	770
BITLA5040	2-2	450	M30 x 3	580	820
BITLA5050	2-2	500	M30 x 3	630	870
BITLA5060	2-2	600	M30 x 3	730	970



TOP LINK ASSEMBLIES

THREAD M 30 x 3

CODE	CAT d1 - d2	Pipe L1	Thread D	Min.	Max.
BITLA6010	1-1	370	M30 x 3	500	720
BITLA6020	1-2	370	M30 x 3	500	730
BITLA6030	2-2	370	M30 x 3	500	740
BITLA6040	1-1	400	M30 x 3	530	750
BITLA6050	1-2	400	M30 x 3	530	760
BITLA6060	2-2	400	M30 x 3	530	770
BITLA6070	1-1	450	M30 x 3	580	800
BITLA6080	1-2	450	M30 x 3	580	810
BITLA6090	2-2	450	M30 x 3	580	820
BITLA6100	2-2	460	M30 x 3	590	830
BITLA6110	1-1	500	M30 x 3	630	850
BITLA6120	1-2	500	M30 x 3	630	860
BITLA6130	2-2	500	M30 x 3	630	880
BITLA6140	2-2	520	M30 x 3	650	900
BITLA6150	2-2	550	M30 x 3	650	930
BITLA6160	2-2	560	M30 x 3	690	940
BITLA6170	2-2	600	M30 x 3	730	980
BITLA6180	2-2	650	M30 x 3	780	1030
BITLA6190	2-2	700	M30 x 3	830	1080
BITLA6200	2-2	720	M30 x 3	880	1100






Baztech
Industries

TOP LINK END



TOP LINK END (UNC)

CODE	CAT	ID	Thread	L1	D1	D2	H
BITLE010	0	16	3/4 UNCR	105	47	30	25.4
BITLE020	0	16	3/4 UNCL	105	47	30	25.4
BITLE030	1	19	1.1/8 UNCR	155	58	53	44
BITLE040	1	19	1.1/8 UNCL	155	58	53	44
BITLE050	2	25.4	1.1/8 UNCR	190	66	58	51
BITLE060	2	25.4	1.1/8 UNCL	190	66	58	51
BITLE070	2	25.4	1.1/8 UNCR	180	76	66	51
BITLE080	2	25.4	1.1/8 UNCL	180	76	66	51



TOP LINK END (MM)


CODE	CAT	ID	Thread	L1	D1	D2	H
BITLE110	1	19	M22 x 2.5R	95	50	58	44
BITLE120	1	19	M22 x 2.5L	95	50	58	44
BITLE130	1	19	M22 x 2.5R	120	50	58	44
BITLE140	1	19	M22 x 2.5L	120	50	58	44
BITLE150	1	19	M24 x 3R	60	50	58	44
BITLE160	1	19	M24 x 3L	60	50	58	44
BITLE170	1	19	M24 x 3R	85	50	58	44
BITLE180	1	19	M24 x 3L	85	50	58	44
BITLE190	1	19	M24 x 3R	120	50	58	44
BITLE200	1	19	M24 x 3L	120	50	58	44
BITLE210	1	19	M24 x 2.5R	120	50	58	44
BITLE220	1	19	M24 x 2.5L	120	50	58	44
BITLE230	1	19	M27 x 3R	120	50	58	44
BITLE240	1	19	M27 x 3L	120	50	58	44
BITLE250	1	19	M27 x 3R	155	50	58	44
BITLE260	1	19	M27 x 3L	155	50	58	44
BITLE270	2	25.4	M27 x 3R	135	56	66	51
BITLE280	2	25.4	M27 x 3L	135	56	66	51



TOP LINK END

TOP LINK END (MM)

CODE	CAT	ID	Thread	L1	D1	D2	H
BITLE21	2	25.4	M27 x 3R	190	56	66	51
BITLE22	2	25.4	M27 x 3L	190	56	66	51
BITLE23	2	25.4	M27 x 3R	190	56	66	42
BITLE24	2	25.4	M27 x 3L	190	56	66	42
BITLE25	2	25.4	M30 x 3.5R	75	56	75	51
BITLE26	2	25.4	M30 x 3.5L	75	56	75	51



TOP LINK END (MM)

CODE	CAT	ID	Thread	L1	D1	D2	H
BITLE4310	1	19	M30 x 3.5L	120	60	62	44
BITLE4320	1	19	M30 x 3.5R	120	60	62	44
BITLE4330	2	25.4	M30 x 3.5L	120	56	75	51
BITLE4340	2	25.4	M30 x 3.5R	120	56	75	51
BITLE4350	1	19	M30 x 3.5L	170	60	62	44
BITLE4360	1	19	M30 x 3.5R	170	60	62	44
BITLE4370	2	25.4	M30 x 3.5L	180	56	75	51
BITLE4380	2	25.4	M30 x 3.5R	180	56	75	51
BITLE4390	1	19	M30 x 3L	170	60	62	44
BITLE4400	1	19	M30 x 3R	170	60	62	44
BITLE4410	2	25.4	M30 x 3L	180	56	75	51
BITLE4420	2	25.4	M30 x 3R	180	56	75	51




Baztech
Industries

WELD ON END



WELD ON END

CODE	A	B	C	D	E
BIWOE410	19.2	44	25	53	48
BIWOE420	20.2	44	25	53	48
BIWOE430	19.2	44	25	53	48
BIWOE440	19.2	44	26	55	65
BIWOE450	19.2	44	30	62	34
BIWOE460	20.2	44	30	62	34
BIWOE470	22.1	44	30	62	34
BIWOE480	19.2	44	34	62	60
BIWOE490	22.1	44	34	62	60
BIWOE500	20.2	44	34	62	60
BIWOE510	19.2	44	30	62	50
BIWOE520	20.2	44	30	62	50
BIWOE530	22.1	44	34	62	58
BIWOE540	19.2	44	34	62	58
BIWOE550	19.2	35	26	62	55
BIWOE560	22.1	35	26	62	55
BIWOE570	19.2	51	38	75	65
BIWOE580	25.2	51	38	75	65
BIWOE590	30.2	51	38	75	65
BIWOE600	19.2	51	45	72	70
BIWOE610	22.1	51	45	72	70
BIWOE620	25.4	51	45	72	70
BIWOE630	30.2	51	45	72	70
BIWOE640	25.4	51	38	90	85
BIWOE650	30.2	51	38	90	85
BIWOE660	19.2	51	50	85	70
BIWOE670	25.4	51	50	85	70
BIWOE680	25.4	51	50	83	65
BIWOE690	30.2	42	50	83	65
BIWOE700	30.2	55	50	83	65
BIWOE710	35.2	35	50	83	65
BIWOE720	35.2	55	50	83	65
BIWOE730	30.2	55	50	92	65
BIWOE740	30.2	44	50	92	65
BIWOE750	35.2	35	50	92	65






WELD ON END



WELD ON END


CODE	A	B	C	D	E
BIWOE10	16.2	20	30	46	60
BIWOE11	19.2	44	50	52	50
BIWOE12	20.2	44	50	52	50
BIWOE13	19.2	35	50	65	43
BIWOE14	22.1	35	50	65	43
BIWOE15	22.1	35	70	76	50
BIWOE16	25.4	35	70	76	50
BIWOE17	28.2	35	70	76	50
BIWOE18	22.1	35	70	83	55
BIWOE19	25.4	35	70	83	55
BIWOE20	28.2	35	70	83	55
BIWOE21	28.2	45	70	83	55
BIWOE22	25.4	35	70	80	80
BIWOE23	28.2	35	70	80	80
BIWOE24	28.2	45	70	80	80
BIWOE25	22.1	45	70	80	65
BIWOE26	25.4	45	70	80	65
BIWOE27	28.4	45	70	80	65
BIWOE28	30.2	45	70	80	65
BIWOE29	28.2	45	70	96	65
BIWOE30	34.4	45	70	96	65
BIWOE31	35.2	45	70	96	65
BIWOE32	37.4	45	70	96	65
BIWOE33	19.2	35	56	67	50
BIWOE34	22.1	35	56	67	50
BIWOE35	25.4	35	56	67	50
BIWOE36	22.1	35	58	67	75
BIWOE37	25.1	45	70	80	80
BIWOE38	28.2	45	90	106	90
BIWOE39	30.2	45	90	106	90
BIWOE40	34.4	45	90	106	90
BIWOE41	35.2	45	90	106	90
BIWOE42	37.4	45	90	106	90
BIWOE43	38.4	45	90	106	90
BIWOE44	28.4	45	70	80	110






ADJUSTABLE LEVELLING ARM

CODE	L		L1	D	d	H1	h1	d1	h2
	MIN	MAX							
BIALA2301	380	530	230	24 x 3	18	24	72	19,2	44
BIALA2302	380	530	230	24 x 3	18	24	72	22,1	35
BIALA2303	410	560	260	24 x 3	18	24	72	19,2	44
BIALA2304	410	560	260	24 x 3	18	24	72	22,1	35
BIALA2305	490	700	340	24 x 3	16	24	72	22,1	35
BIALA2306	520	730	380	24 x 3	16	24	72	22,1	35




ADJUSTABLE LEVELLING ARM

CODE	L		L1	D	d	H	h	H1	h1
	MIN	MAX							
BIALA200	380	530	200	22 x 2.5	18	30	60	24	72
BIALA260	450	600	260	24 x 3	18	40	70	24	72
BIALA290	500	650	290	27 x 3	18	40	70	24	72




LEVELLING ASSEMBLY








STABILIZER ASSEMBLY

CODE	A		B	C	D	E
	MIN	MAX				
BISA325	275	325	130	20x2.5	38	14
BISA345	280	345	150	22x2.5	38	14
BISA365	300	365	150	24x2.5	55	25




STABILIZER CHAIN ASSEMBLY

CODE	Style	L		D	d1	d	d2
		MIN	MAX				
BISCA7461	1	420		16x2	18	12	12
BISCA7462	1	500		16x2	18	12	12
BISCA7463	1	580		16x2	18	12	12
BISCA7464	2	480		16x2	18	10	14
BISCA7465	2	570		20x2.5	20	12	14
BISCA7466	2	635		16x2	20	12	14
BISCA7467	2	670		20x2.5	20	12	14
BISCA7468	2	580		20x2.5	20	12	14
BISCA7469	2	460		20x2.5	20	12	14
BISCA7470	3	570		20x2.5	20	12	14
BISCA7471	3	600		20x2.5	20	12	14



RATCHET JACK


CODE	L		A	B	D
	MIN	MAX			
BIRJ510	510	710	38	55	25.4






STABILIZER ENDS

CODE	L	d	d1	D
BISE9716	97	16 x 2	46	18
BISE11520	115	20 x 2.5	46	18
BISE11522	115	22 x 2.5	50	20




STABILIZER ENDS

CODE	L	d	d1	D
BISE122	122	18 x 2.5	39	14.5
BISE127	127	20 x 2.5	39	14.5
BISE134	134	22 x 2.5	55	2.5



EYE ENDS

CODE	D	L	Ød	D1	L1
BIEE8015	16 x 1.5	80	15	36	43
BIEE8036	18 x 2.5	80	15	36	43
BIEE8045	20 x 2.5	100	18	45	56
BIEE8053	24 x 2	125	24	53	65




I






EYE ENDS

CODE	A	B	C	D	E
BIEE191	1/4"	1-1/2"	2"	3"	1/2"
BIEE192	5/16"	1-1/2"	2-1/4"	3-1/2"	5/8"
BIEE193	3/8"	1-1/2"	2-1/2"	4"	3/4"
BIEE194	1/2"	1-1/2"	3-1/4"	5-1/4"	1"
BIEE195	6/8"	1-3/4"	4"	6-1/2"	1-1/4"
BIEE196	1/4"	2-1/2"	4"	5"	1/2"
BIEE197	5/16"	2-1/2"	4-1/4"	5-1/2"	5/8"
BIEE198	3/8"	2-1/2"	6"	7-1/2"	3/4"
BIEE199	1/2"	3"	6"	7-3/4"	1"



TURN BUCKLE

CODE	Thread	Pipe Length
BITB172	M16 x 2	172




CLEVIS YOKE





DRAW BAR (70x30)

CODE	H	G	Holes	A	B	C	D	E	F
BIDB701	70	30	1	770	54.8	329	N.A.	27.8	26
BIDB702	70	30	3	772	54.8	163	165.2	27.8	26
BIDB703	70	30	3	674	55	139.5	140	28	22.7
BIDB704	70	30	3	900	55	197.5	197.5	28.4	28.5
BIDB705	70	30	3	960	55	212.5	212.5	28.4	28.5
BIDB706	70	30	11	960	55	155	155	28	26



DRAW BAR (76x32)

CODE	H	G	Holes	A	B	C	D	E	F
BIDB1461	76	32	11	780	60	75	51	28	19
BIDB1462	76	32	11	780	60	75	51	28	22
BIDB1463	76	32	13	940	60	76	55.5	28	19
BIDB1464	76	32	13	940	60	76	55.5	28	22
BIDB1465	76	32	7	880	50	100	96	28	28
BIDB1466	76	32	9	920	50	90	80	28	33
BIDB1467	76	32	7	930	55	85	108.5	28	26
BIDB1468	76	32	9	945	60	92.5	80	28	33
BIDB1469	76	32	11	933	55	157.5	50.8	28	22
BIDB1470	76	32	7	960	59	103.5	71.5	28	26.5
BIDB1471	76	32	7	861	60.5	123.5	82.2	28.4	27
BIDB1472	76	32	13	933	60	76.4	55	28.6	19
BIDB1473	76	32	7	890	55	124	88.6	28	28
BIDB1474	76	32	3	772	55.5	165	166	22.6	26.6
BIDB1475	76	32	7	940	60	148	86	28.4	28.5
BIDB1476	76	32	7	910	50	85	110	28	26
BIDB1477	76	32	9	930	60	86	80	28	28
BIDB1478	76	32	9	945	60	92.5	80	28	33
BIDB1479	76	32	11	960	62	143	55	28	28
BIDB1480	76	32	7	981	60	151	86	28.4	28.5


NOTE : COLOUR TO ORDER






U-BOLTS

CODE	Dia. ØA	Dim. B	Dim. C
BIUB71	7/16"	2"	6"
BIUB72	7/16"	2-7/8"	7-3/4"
BIUB73	7/16"	3"	7-1/2"
BIUB74	1/2"	2-1/2"	8-1/4"
BIUB75	1/2"	2-7/8"	7"
BIUB76	1/2"	3"	8"
BIUB77	9/16"	3"	8-1/4"
BIUB78	9/16"	3-1/4"	8"
BIUB79	9/16"	3-3/8"	12"
BIUB80	5/8"	3"	8-1/2"
BIUB81	5/8"	3-1/4"	8-1/4"
BIUB82	5/8"	3-1/4"	12"




U-BOLTS

CODE	Dia. ØA	Dim. B	Dim. C
BIUB171	3/8"	2-1/2"	2-1/2"
BIUB172	3/8"	7"	7"
BIUB173	1/2"	3"	4"
BIUB174	5/8"	4"	4"
BIUB175	5/8"	4"	5-1/2"
BIUB176	5/8"	4"	7-1/2"
BIUB177	5/8"	5"	8-1/2"
BIUB178	5/8"	6"	8"
BIUB179	5/8"	7"	5"
BIUB180	5/8"	7"	7"
BIUB181	5/8"	7"	8-1/2"
BIUB182	3/4"	5"	7"
BIUB183	3/4"	7"	8-1/2"
BIUB184	3/4"	7"	7"



U-BOLTS

CODE	Dia. ØA mm	Dim. B mm	Dim. C mm	Dim. D mm
BIUB70	11	70	37	42
BIUB49	12.8	82	39	49
BIUB90	11	90	30	56
BIUB96	15	96	52	60.5



- # Zinc plated or as per Customer's choice.
- # Each U-Bolt comes with 2 Hex Nuts.
- # Can be made in other sizes also.



LEVELLING ASSEMBLIES

BILA101



LEVELLING ASSEMBLIES

BILA102



LEVELLING ASSEMBLIES

BILA103



LEVELLING ASSEMBLIES

BILA104



LEVELLING ASSEMBLIES

BILA105



LEVELLING ASSEMBLIES


BILA106






DROP LOCK PIN WELD ON TYPE

CODE	Dia. L mm	Dim. H mm
BIDL13	13	70



DROP LOCK PIN WITH LONG SCREW


CODE	Dia. L mm	Dim. H mm	Thread
BIDLS11	35	70	1/2" UNF
BIDLS12	76	70	1/2" UNF
BIDLS13	38	50	M8 x 1.25
BIDLS14	20	50	M8 x 1.25



Bright Zinc Plated.
Complete with Nut & Washer.

CLEVISES (Screw Pin)


CODE	Body Dia. ØA mm	Usable Length B mm	Pin Dia. ØC mm	Thread Dia. ØD mm	Weight lbs.
BIC131	6.35	25.87	7.93	5/16" UNC	0.14
BIC132	7.93	31.75	9.52	3/8" UNC	0.22
BIC133	9.52	36.51	11.11	7/16" UNC	0.31
BIC134	11.11	42.85	12.7	1/2" UNC	0.53
BIC135	12.7	49.21	15.87	5/8" UNC	0.75
BIC136	15.87	63.5	19.05	3/4" UNC	1.1
BIC137	19.05	76.2	22.22	7/8" UNC	2.75
BIC138	22.22	82.55	25.4	1" UNC	3.58
BIC139	25.4	95	28.57	1-1/8" UNC	5.4
BIC140	28.57	107.95	31.75	1-1/4" UNC	7
BIC141	13.75	114.3	34.92	1-3/8" UNC	9.5




Painted black or any other colour as per Customer's choice.
Yellow Zinc Plated Pin.

CLEVISES (Utility)


CODE	Body Dia. ØA mm	Usable Length B mm	Pin Dia. ØC mm	Weight lbs.
BIC11	6.35	22.22	7.93	0.1
BIC12	7.93	25.4	9.52	0.17
BIC13	9.52	31.75	11.11	0.28
BIC14	11.11	38.05	12.7	0.42
BIC15	12.7	42.86	15.87	0.66
BIC16	15.87	50.8	19.05	1.2



Yellow Zinc Plated Pin.









**BITL09 : Kubota Type Kits
With Top Link Assembly**



7 KUBOTA - "U" TYPE


8 ISEKI - "U" TYPE





FINGERS / GUARDS

ITEM CODE	PRODUCTS	Name
BIF-001		Finger Double Without Blade
BIF-002		Finger Double
BIF-003		Finger DBL with Knife
BIF-004		Finger Double with Knife
BIF-005		Finger Double with Blade
BIF-006		Finger Single
BIF-007		Finger Double
BIF-008		Finger Double without Blade


ITEM CODE	PRODUCTS	Name
BIF-009		Finger Double Without Blade
BIF-010		Finger Double
BIF-011		Finger DBL with Knife
BIF-012		Finger Double with Knife
BIF-013		Finger Double with Blade Without Support
BIF-014		Finger Double without Blades
BIF-015		Finger Double without Blades
BIF-016		Finger Double without Blade


HARROW DISC / DISC BLADES


CODE	Dia. inch	mm	Type	Thick mm	Concavity
BIHD1637	16	410	SMOOTH	3	37
BIHD1638	16	410	NOTCHED	3	37
BIHD1639	18	460	SMOOTH	3	46
BIHD1640	18	460	NOTCHED	3	46
BIHD1641	18	460	SMOOTH	3.5	46
BIHD1642	18	460	NOTCHED	3.5	46
BIHD1643	20	510	SMOOTH	3.5	57
BIHD1644	20	510	NOTCHED	3.5	57
BIHD1645	22	560	SMOOTH	4.5	68
BIHD1646	22	560	NOTCHED	4.5	68
BIHD1647	22	560	SMOOTH	6	68
BIHD1648	22	560	NOTCHED	6	68
BIHD1649	24	610	SMOOTH	4.5	81
BIHD1650	24	610	NOTCHED	4.5	81
BIHD1651	24	610	SMOOTH	6	81
BIHD1652	24	610	NOTCHED	6	81
BIHD1653	26	660	SMOOTH	5	97
BIHD1654	26	660	NOTCHED	5	97
BIHD1655	26	660	SMOOTH	6	97
BIHD1656	26	660	NOTCHED	6	97
BIHD1657	28	712	SMOOTH	6	102
BIHD1658	28	712	NOTCHED	6	102
BIHD1659	28	712	SMOOTH	8	102
BIHD1660	28	712	NOTCHED	8	102


DISC HARROW AXLE

CODE	Dim. A	Dim. B	Dim. C	Dim. D	Thread E
BIHD2212	7/8"	22"	1/2"	1-3/8"	7/8" UNC
BIHD2213	7/8"	22-1/2"	1/2"	1-3/8"	7/8" UNC
BIHD2214	7/8"	25-1/4"	1/2"	1-3/8"	7/8" UNC
BIHD2215	7/8"	26"	1/2"	1-3/8"	7/8" UNC
BIHD2216	7/8"	30-1/2"	1/2"	1-3/8"	7/8" UNC
BIHD2217	7/8"	33"	1/2"	1-3/8"	7/8" UNC
BIHD2218	7/8"	39-1/8"	1/2"	1-3/8"	7/8" UNC
BIHD2219	7/8"	40-1/4"	1/2"	1-3/8"	7/8" UNC
BIHD2220	7/8"	41-3/4"	1/2"	1-3/8"	7/8" UNC
BIHD2221	1"	19"	1/2"	1-1/2"	1" UNC
BIHD2222	1"	26-1/2"	1/2"	1-1/2"	1" UNC
BIHD2223	1"	34"	1/2"	1-1/2"	1" UNC
BIHD2224	1-1/8"	12"	1/2"	1-5/8"	1-1/8" UNC
BIHD2225	1-1/8"	26-1/4"	1/2"	1-5/8"	1-1/8" UNC
BIHD2226	1-1/8"	22"	1/2"	1-5/8"	1-1/8" UNC
BIHD2227	1-1/8"	31"	1/2"	1-5/8"	1-1/8" UNC
BIHD2228	1-1/8"	31-1/2"	1/2"	1-5/8"	1-1/8" UNC
BIHD2229	1-1/8"	34"	1/2"	1-5/8"	1-1/8" UNC
BIHD2230	1-1/8"	40"	1/2"	1-5/8"	1-1/8" UNC
BIHD2231	1-1/8"	40-1/4"	1/2"	1-5/8"	1-1/8" UNC
BIHD2232	1-1/8"	42"	1/2"	1-5/8"	1-1/8" UNC
BIHD2233	1-1/8"	49-1/2"	1/2"	1-5/8"	1-1/8" UNC
BIHD2234	1-1/8"	56-1/2"	1/2"	1-5/8"	1-1/8" UNC
BIHD2235	1-1/8"	58-1/2"	1/2"	1-5/8"	1-1/8" UNC
BIHD2236	1-1/8"	64"	1/2"	1-5/8"	1-1/8" UNC
BIHD2237	1-1/8"	67-1/2"	1/2"	1-5/8"	1-1/8" UNC
BIHD2238	1-1/8"	71-1/2"	1/2"	1-5/8"	1-1/8" UNC
BIHD2239	1-1/8"	76-1/2"	1/2"	1-5/8"	1-1/8" UNC
BIHD2240	1-1/8"	79"	1/2"	1-5/8"	1-1/8" UNC
BIHD2241	1-1/8"	85-1/2"	1/2"	1-5/8"	1-1/8" UNC
BIHD2242	1-1/8"	94-1/2"	1/2"	1-5/8"	1-1/8" UNC
BIHD2243	1-1/8"	95-11/16"	1/2"	1-5/8"	1-1/8" UNC
BIHD2244	1-1/8"	104-11/16"	1/2"	1-5/8"	1-1/8" UNC



- # Any size with Nut & Lock Washer. # Head shape can be round also.
- # Painted Black or as per Customer's choice.
- # Round or Sharp Edges as per Customer's choice.



Baztech
Industries





parking jacks





PARKING JACK "HEAVY TYPE"

CODE	Dim. A	Dim. B	Dim. C	E	H	S	D	Stroke	Static Cap.
BIPJ6051	40	300	115	95	440	2	18	150	400
BIPJ6052	40	400	115	95	540	2	18	250	400
BIPJ6053	40	500	115	95	640	2	18	350	400
BIPJ6054	50	300	135	160	480	3	22	150	800
BIPJ6055	50	400	135	160	580	3	22	250	800
BIPJ6056	50	500	135	160	680	3	22	350	800
BIPJ6057	50	600	135	160	780	3	22	500	800
BIPJ6058	50	400	135	160	580	3	22	250	800
BIPJ6059	60	400	135	160	580	3	22	250	1000
BIPJ6060	60	500	135	160	680	3	22	350	1000
BIPJ6061	60	600	135	160	780	3	22	500	1000
BIPJ6062	60	700	135	160	880	3	22	500	1000
BIPJ6063	60	500	135	160	680	3	22	350	1000
BIPJ6064	70	400	180	160	580	3	28	300	1800
BIPJ6065	70	500	180	160	680	3	28	400	1800
BIPJ6066	70	600	180	160	780	3	28	500	1800
BIPJ6067	70	700	180	160	880	3	28	500	1800
BIPJ6068	80	400	180	220	590	3	28	300	2000
BIPJ6069	80	500	180	220	690	3	28	400	2000
BIPJ6070	80	600	180	220	790	3	28	500	2000
BIPJ6071	100	500	180	220	690	4	28	400	2200
BIPJ6072	100	700	180	220	890	4	28	500	2200



PARKING JACK "HEAVY TYPE" without footplate

CODE	Dim. A	Dim. B	Dim. C	H	S	D	Stroke	Static Cap.
BIPJ2261	40	400	115	535	2	18	250	400
BIPJ2262	50	400	135	565	4	22	250	800
BIPJ2263	60	400	135	1256	4	22	250	1000
BIPJ2264	70	500	180	665	4	28	400	1800
BIPJ2265	80	500	180	665	4	28	400	2000






WEATHER CAP

CODE	Dia. Minimum ØA mm	Dia. Maximum B mm	Weight lbs.
BIWC1931	38.10 (1-1/2")	42.80 (1-11/16")	0.59
BIWC1932	44.45 (1-3/4")	49.21 (1-15/16")	0.61
BIWC1933	50.80 (2")	55.56 (2-3/16")	0.88
BIWC1934	57.15 (2-1/4")	61.91 (2-7/16")	0.9
BIWC1935	63.50 (2-1/2")	68.26 (2-11/16")	0.93
BIWC1936	69.85 (2-3/4")	74.61 (2-15/16")	0.99
BIWC1937	76.20 (3")	80.96 (3-3/16")	1.1
BIWC1938	82.55 (3-1/2")	87.31 (3-7/16")	1.32
BIWC1939	88.90 (3-1/2")	93.66 (3-11/16")	1.36
BIWC1940	95.25 (3-3/4")	100.00 (3-15/16")	1.46
BIWC1941	101.60 (4")	106.36 (4-3/16")	1.54

Yellow Zinc Plated Pin.



NUT & BOLTS

We also Manufactured Customized Nut & Bolts that are designed and tuned to suit the performance requirement as desired by customers



SILENCER CLAMP

CODE	Dim. A mm					
BISC01	76.2	44.45	12.7	3.17	135	108
BISC02	82.2	54.3	12.00	6	150	107.95
BISC03	74	37.5	12.7	5	163	113
BISC04	119	41.5	12.7	5	160	76
BISC05	140	47.5	14	5	180	142





Baztech

Industries

GLOBAL PRESENCE :

Baztech Industries

Manufacturing Facility & Head Office :

F-39, Phase-VII, Focal Point,
Ludhiana-141010.

M: +91-74500-01313

Ph.: 0161-4045330

E-mail : info@baztechindustries.com
sales@baztechindustries.com

www.baztechindustries.com

Baztech Industries USA Inc.

Sales Office :

7299 W Portals Avenue,
Fresno, CA 93729

Cell : 559 800 8671, Ph.: 559 301 6366

E-mail : salesusa@baztechindustries.com

Baztech Industries CANADA Inc.

Sales Office :

219 Corner Meadows Way NE
Calgary T3N1Y5

Cell : +1 403 800 8455

E-mail : salescanada@baztechindustries.com

